

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/314,927	05/20/1999	TAKASHI KOBAYASHI	35.C13533	5816
5514	7590 02/23/2005		EXAM	INER
FITZPATRICK CELLA HARPER & SCINTO			MILLS, DONALD L	
30 ROCKEFELLER PLAZA NEW YORK, NY 10112			ART UNIT	PAPER NUMBER
, 1014.	-, -·		2662	

DATE MAILED: 02/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	09/314,927	KOBAYASHI ET AL.	
Office Action Summary	Examiner	Art Unit	
	Donald L Mills	2662	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period or - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from to become ABANDONE.	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).	
Status			
1)⊠ Responsive to communication(s) filed on <u>23 S</u> 2a)⊠ This action is <b>FINAL</b> . 2b)□ This      3)□ Since this application is in condition for allowa closed in accordance with the practice under B	s action is non-final. nce except for formal matters, pr	•	
Disposition of Claims			
4) ☐ Claim(s) <u>1,4-7,10,13-15,18 and 30-39</u> is/are p 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1,4-7,10,13-15,18 and 30-39</u> is/are re 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration. ejected.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 10.	cepted or b) objected to by the drawing(s) be held in abeyance. So tion is required if the drawing(s) is o	ee 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119		•	
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in Applica prity documents have been receiv nu (PCT Rule 17.2(a)).	tion No ved in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summar	v (PTO-413)	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	Paper No(s)/Mail [		

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4, 5, 10, 18, 30, 31, 34, 38, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cook et al. (USPN 5,504,757), hereinafter referred to as Cook, in view of EP 0697778 to Keshav et al., hereafter referred to as Keshav.

Regarding claims 1 and 18, Cook discloses a communication apparatus (a communication apparatus (see figure 1B)) comprising:

- a) a communication unit having different transfer rates (a serial bus of the apparatus is capable of operating at multiple speeds (see figure 1B and abstract) and adapted to transmit a predetermined packet to all destination apparatuses using at least one of the different transfer rates (the method transmits packets to nodes using one of at least three speeds (see column 1 lines 42 through 57 and abstract); and
- b) a control unit adapted to determine one of the different transfer rates as a maximum transfer rate between the communication apparatus and all of the destination apparatuses (the maximum rate between the nodes is determined (see column 7 line 34 through column 8 line 50 and figure 3)).

Cook does not disclose that the apparatus determines the maximum transfer rate after receiving responses to the predetermined packet from all the destinations.

However, Keshav discloses a transmission rate adjustment system wherein a target rate is adjusted based on the acknowledgements received from all the destination nodes (see column 7 lines 34-43, column 9 line 55 through column 10 line 1,column 1 lines 12 and 13, abstract and claims 1-3)).

It would have been obvious to one skilled in the art at the time of the invention to implement this feature in the Cook system because doing so would allow the system to verify which nodes are available (by-way-of the acknowledgements) before transmission takes place, thus making Cook more reliable. Furthermore, taking into account the acknowledgements from all destinations will make sure that the maximum speed is determined for communications with all the nodes. Note, Keshav discloses in column 9 line 55 through column 10 line 1 that for every data packet probe the source transmits there must be a corresponding acknowledgment received and also discloses in column 1 lines 12 and 13 that the processing system network, which is the network used to calculate the optimal rate, may consist of only two nodes (i.e. a source and a destination). Therefore, when the source receives the acknowledgement from the destination, in the two-node network configuration, this can be considered receiving 'responses transmitted from all of the destination nodes' as recited in the claim (i.e. the total number of destination nodes is one and the source receives the acknowledgment from that node to optimize the data rate).

Regarding claims 4 and 30, Cook discloses the system discussed above.

Cook does not disclose that if the response is absent, retransmitting the packet at the previous rate. However, Keshav discloses of a communication unit that retransmits a predetermined packet at a transfer rate lower than the previous transfer rate, if at least one response is absent (an acknowledgment is not received the packet is retransmitted at a decreased set point rate (see column 8 lines 1-22) (see column 10)).

It would have been obvious to one skilled in the art at the time of the invention to implement this feature into the Cook system because if the acknowledgment is not received than that would indicate that there are problems with the transmission to the destination such as the destination being congested or unavailable. Therefore, retransmitting the packet a lesser rate will help prevent further congestion of the destination node or any intervening nodes along the path to the destination, thereby making Cook more reliable.

Regarding claims 5 and 31, Cook discloses the system discussed above. Furthermore, Cook discloses that the communication unit transmits data to the destination apparatuses at the maximum transfer rate after discriminating the maximum transfer rate (when the maximum rate is determined, that rate is used to transmit the data (see column 7 lines 24-50)), wherein the transmitting step includes a step of packetizing data into at least one packet and broadcasts each packet to the destination apparatuses (the apparatus communicates using data packets (see abstract)).

Regarding claims 10 and 34, Cook discloses the system discussed above. Furthermore, Cook discloses that the communication unit conforms to an IEEE 1394 standard (the apparatus uses the IEEE 1394 standard (see abstract)).

Regarding claims 38 and 39, Cook discloses the system discussed above. Furthermore, Cook discloses that the communications unit has an isochronous transfer mode and an asynchronous transfer mode (the apparatus operating in both the asynchronous transfer mode and isochronous transfer mode (see abstract)), and is adapted to transmit the predetermined packet to all of the destinations using the asynchronous transfer mode (the apparatus transfers packets using the asynchronous transfer mode (see column 1 lines 42-57 and abstract)).

3. Claims 6 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cook in view of Keshav and further in view of Pflaumer (USPN 4,884,266), hereafter referred to as Pflaumer.

Regarding claims 6 and 32, Cook discloses the system discussed above. Furthermore, Cook discloses that the communication unit packetizes data into at least one packet (the apparatus communicates using data packets (see abstract)).

Cook does not disclose that the system broadcasts each packet to the destination apparatus.

However, Pflaumer discloses a system wherein data packets are broadcast to destination nodes (see column 6)). Since the packets are broadcast, there is no need for determining which of the destination nodes is to receive the packet (i.e. they will all receive the packet) and therefore there is less processing time needed.

It would have been obvious to one skilled in the art at the time of the invention to implement this feature in Cook because doing so would allow Cook to operate faster.

Art Unit: 2662

4. Claims 7 and 33 rejected under 35 U.S.C. 103(a) as being unpatentable over Cook in view of Keshav and further in view of Sheller et al. (USPN 5,010,553), hereinafter referred to as Sheller.

Regarding claims 7 and 33, Cook discloses the system discussed above.

Cook does not disclose that the maximum rate is used to determine the amount of data in the packets, which can vary based on the maximum rate.

However, Sheller discloses a system wherein the size of variable size packets is determined based on a data rate (see column 3).

It would have been obvious to one skilled in the art at the time of the invention to have the packet size vary depending on the determined maximum transfer rate since higher rates will allow bigger packets to be transmitted and lower rates will allow only smaller packets to be transmitted. Therefore, adjusting the packet since according to the transfer rate will make the system of Cook operate more efficiently and adaptive to the maximum speed it determines.

5. Claims 13, 14, 35 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cook in view of Keshav and further in view of Terada et al. (USPN 6,167,046), hereafter referred to as Terada.

Regarding claims 13, 14, 35 and 36 cook discloses the system discussed above.

Cook does not disclose that the predetermined packet includes a command that inquires of an ability of the destinations or information about ability of the communication/destination apparatus.

However, Terada discloses a communication system wherein ability inquiries, in the form of packets, are made and stored between the nodes of the network (see column 3 lines 10-16).

It would have been obvious to one skilled in the art at the time of the invention to include such information in messages communicated between the source and destination nodes of Cook, for many reasons. One such reason would be that knowing each other's abilities would allow more versatile communication to take place. Namely, knowing that each can properly receive and process real-time data will allow such data to be communicated between the source and the destination. Another reason would be to determine if the source and destination could perform certain types of error correction. All of which would make the system of Cook more robust and reliable.

6. Claims 15 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cook, in view of Keshav and further in view of Watanabe et al. (USPN 6,246,665), hereafter referred to ms Watanabe.

Regarding claims 15 and 37, Cook discloses the system discussed above.

Cook does not disclose that the predetermined packet includes a connection ID indicating a logical connection relationship between the communication apparatus and all of the destination apparatuses.

However, Watanabe discloses a system wherein logical connection ms are used (see figures 33 and 34).

It would have been obvious to one skilled in the art at the time of the invention to include logical connection ID's in the system of Cook, because doing so would allow the destination to

Application/Control Number: 09/314,927 Page 8

Art Unit: 2662

know how and where to locate the source and vice versa) and thus properly send the packets back and forth between them, thereby making Cook more reliable.

## Response to Arguments

7. Applicant's arguments filed September 23, 2004 have been fully considered but they are not persuasive.

Rejection Under 35 USC § 103

On page 10, regarding claims 1, 4, 5, 10, 18, 30, 31, 34, 38, and 39, Applicant argues that neither Cook or Keshav, alone or in combination teach, disclose, or otherwise make obvious a system relating to a system having more than one destination. The Examiner respectfully points out that neither in claim 1 nor 18 are a plurality of destinations claimed. Instead, claims 1 and 18 merely recite a communication unit adapted to transmit a predetermined packet to all destination apparatuses and a control unit adapted to determine one of the different transfer rates as a maximum transfer rate between the communication apparatus and all of the destination apparatuses. The Examiner interprets Keshav as receiving 'responses transmitted from all of the destination nodes' as recited in the claim (i.e. the total number of destination nodes is one and the source receives the acknowledgment from that node to optimize the data rate). The term "all" in and of itself does not mean a plurality, by definition, "all" relates to the whole quantity, extent, duration, amount, or quality. Therefore, it is reasonable to interpret "all" as relating to the one destination since it is a whole singular value and not a fraction there of

#### Conclusion

Art Unit: 2662

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald L Mills whose telephone number is 571-272-3094. The examiner can normally be reached on 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on 571-272-3088. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/314,927

Art Unit: 2662

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Donald L Mills

Drm

February 17, 2005

JOHN PEZZLO
PRIMARY EXAMINER

Page 10